# Karyopharm Announces Selinexor Data to be Presented at the 2022 American Society of Clinical Oncology Annual Meeting

NEWTON, Mass., April 27, 2022 /<u>PRNewswire</u>/ -- Karyopharm Therapeutics Inc. (Nasdaq:KPTI), a commercialstage pharmaceutical company pioneering novel cancer therapies, today announced that four abstracts highlighting selinexor clinical research have been selected for presentation, including one oral presentation, at the upcoming 2022 American Society of Clinical Oncology (ASCO) Annual Meeting taking place June 3-7, 2022, in Chicago.

Research findings to be presented include an oral presentation discussing subgroup analyses and molecular classification data from the Phase 3 SIENDO study evaluating selinexor in endometrial cancer and a poster presentation highlighting preliminary results from a Phase 1/2 study evaluating selinexor in combination with ruxolitinib in patients with treatment-naïve myelofibrosis.

"At Karyopharm, we are laser focused on targeting cancers with high unmet need where our science enables us to make the biggest difference in the lives of patients," said Reshma Rangwala, MD, PhD, Chief Medical Officer of Karyopharm. "We are excited to share the latest research at the 2022 ASCO Annual Meeting as these data underscore the innovation across our four core programs in clinical development."

# Details for the 2022 ASCO Annual Meeting presentations are as follows:

# Oral Presentation

Title: Randomized phase III study of maintenance selinexor versus placebo in endometrial cancer (ENGOT -EN5/GOG-3055/SIENDO): Impact of subgroup analysis and molecular classification Presenter: Vicky Makker, Memorial Sloan Kettering Cancer Center Abstract #: 5511 Date and time: Tuesday, June 7, 2022, 8:00 a.m. – 9:30 a.m. CDT Session: Clinical Science Symposium/Molecular-Based Treatment for Endometrial Cancer

#### Poster Presentations

**Title:** A phase 1, open-label, dose-escalation study of selinexor plus ruxolitinib in patients with treatment-naïve myelofibrosis

Presenter: Haris Ali, City of Hope
Abstract #: 7060
Date and time: Saturday, June 4, 2022, 8:00 a.m. - 11:00 a.m. CDT
Session: Hematologic Malignancies—Leukemia, Myelodysplastic Syndromes, and Allotransplant

Title: Phase 1b study of weekly split-dose selinexor in soft tissue sarcoma (STS) Presenter: Abdulazeez Salawu, University Health Network Abstract #: 11563 Date and time: Sunday, June 5, 2022, 8:00 a.m. – 11:00 a.m. CDT Session: Sarcoma

Title: Digital monitoring and assessments in patients with glioblastoma Presenter: Yasaman Damestani, Karyopharm Therapeutics, Inc. Abstract #: 2045 Date and time: Sunday, June 5, 2022, 8:00 a.m. – 11:00 a.m. CDT Session: Central Nervous System Tumors

# About XPOVIO® (selinexor)

XPOVIO is a first-in-class, oral exportin 1 (XPO1) inhibitor and the first of Karyopharm's Selective Inhibitor of Nuclear Export (SINE) compounds to be approved for the treatment of cancer. XPOVIO functions by selectively binding to and inhibiting the nuclear export protein XPO1. XPOVIO is approved in the U.S. and marketed by Karyopharm in multiple oncology indications, including: (i) in combination with Velcade® (bortezomib) and dexamethasone (XVd) in patients with multiple myeloma after at least one prior therapy; (ii) in combination with dexamethasone in patients with heavily pre-treated multiple myeloma; and (iii) in patients with diffuse large B-cell lymphoma (DLBCL), including DLBCL arising from follicular lymphoma, after at least two lines of systemic therapy. XPOVIO (also known as NEXPOVIO® in certain countries) has received regulatory approvals in a growing number of ex-U.S. territories and countries, including Europe, the United Kingdom, China, South Korea, Singapore and Israel, and is marketed in those areas by Karyopharm's global partners. Selinexor is also being investigated in several other mid- and late-stage clinical trials across multiple high unmet need cancer indications, including Multiple Myeloma, Endometrial Cancer and Myelofibrosis. For more information about Karyopharm's products or clinical trials, please contact the Medical Information department at:

### Tel: +1 (888) 209-9326

Email: medicalinformation@karyopharm.com

XPOVIO® (selinexor) is a prescription medicine approved:

- In combination with bortezomib and dexamethasone for the treatment of adult patients with multiple myeloma who have received at least one prior therapy (XVd).
- In combination with dexamethasone for the treatment of adult patients with relapsed or refractory multiple myeloma who have received at least four prior therapies and whose disease is refractory to at least two proteasome inhibitors, at least two immunomodulatory agents, and an anti-CD38 monoclonal antibody (Xd).
- For the treatment of adult patients with relapsed or refractory diffuse large B-cell lymphoma (DLBCL), not otherwise specified, including DLBCL arising from follicular lymphoma, after at least 2 lines of systemic therapy. This indication is approved under accelerated approval based on response rate. Continued approval for this indication may be contingent upon verification and description of clinical benefit in confirmatory trial(s).

# SELECT IMPORTANT SAFETY INFORMATION

#### **Warnings and Precautions**

- Thrombocytopenia: Monitor platelet counts throughout treatment. Manage with dose interruption and/or reduction and supportive care.
- Neutropenia: Monitor neutrophil counts throughout treatment. Manage with dose interruption and/or reduction and granulocyte colony-stimulating factors.
- Gastrointestinal Toxicity: Nausea, vomiting, diarrhea, anorexia, and weight loss may occur. Provide antiemetic prophylaxis. Manage with dose interruption and/or reduction, antiemetics, and supportive care.
- Hyponatremia: Monitor serum sodium levels throughout treatment. Correct for concurrent hyperglycemia and high serum paraprotein levels. Manage with dose interruption, reduction, or discontinuation, and supportive care.
- Serious Infection: Monitor for infection and treat promptly.
- Neurological Toxicity: Advise patients to refrain from driving and engaging in hazardous occupations or activities until neurological toxicity resolves. Optimize hydration status and concomitant medications to avoid dizziness or mental status changes.
- Embryo-Fetal Toxicity: Can cause fetal harm. Advise females of reproductive potential and males with a female partner of reproductive potential, of the potential risk to a fetus and use of effective contraception.
- Cataract: Cataracts may develop or progress. Treatment of cataracts usually requires surgical removal of the cataract.

#### **Adverse Reactions**

The most common adverse reactions (≥20%) in patients with multiple myeloma who receive XVd are fatigue, nausea, decreased appetite, diarrhea, peripheral neuropathy, upper respiratory tract infection, decreased weight, cataract and vomiting. Grade 3-4 laboratory abnormalities (≥10%) are thrombocytopenia, lymphopenia, hypophosphatemia, anemia, hyponatremia and neutropenia. In the BOSTON trial, fatal adverse reactions occurred in 6% of patients within 30 days of last treatment. Serious adverse reactions occurred in 52% of patients. Treatment discontinuation rate due to adverse reactions was 19%.

- The most common adverse reactions (≥20%) in patients with multiple myeloma who receive Xd are thrombocytopenia, fatigue, nausea, anemia, decreased appetite, decreased weight, diarrhea, vomiting, hyponatremia, neutropenia, leukopenia, constipation, dyspnea and upper respiratory tract infection. In the STORM trial, fatal adverse reactions occurred in 9% of patients. Serious adverse reactions occurred in 58% of patients. Treatment discontinuation rate due to adverse reactions was 27%.
- The most common adverse reactions (incidence ≥20%) in patients with DLBCL, excluding laboratory abnormalities, are fatigue, nausea, diarrhea, appetite decrease, weight decrease, constipation, vomiting, and pyrexia. Grade 3–4 laboratory abnormalities (≥15%) are thrombocytopenia, lymphopenia, neutropenia, anemia, and hyponatremia. In the SADAL trial, fatal adverse reactions occurred in 3.7% of patients within 30 days, and 5% of patients within 60 days of last treatment; the most frequent fatal adverse reactions were infection (4.5% of patients). Serious adverse reactions occurred in 46% of patients; the most frequent serious adverse reaction was infection (21% of patients). Discontinuation due to adverse reactions occurred in 17% of patients.

# **Use In Specific Populations**

Lactation: Advise not to breastfeed.

For additional product information, including full prescribing information, please visit <u>www.XPOVIO.com</u>.

#### To report SUSPECTED ADVERSE REACTIONS, contact Karyopharm Therapeutics Inc. at 1-888-209-9326 or FDA at 1-800-FDA-1088 or <u>www.fda.gov/medwatch</u>.

# **About Karyopharm Therapeutics**

Karyopharm Therapeutics Inc. (Nasdaq: KPTI) is a commercial-stage pharmaceutical company pioneering novel cancer therapies. Since its founding, Karyopharm has been the industry leader in oral Selective Inhibitor of Nuclear Export (SINE) compound technology, which was developed to address a fundamental mechanism of oncogenesis: nuclear export dysregulation. Karyopharm's lead SINE compound and first-in-class, oral exportin 1 (XPO1) inhibitor, XPOVIO® (selinexor), is approved in the U.S. and marketed by the Company in three oncology indications and has received regulatory approvals in various indications in a growing number of ex-U.S. territories and countries, including Europe and the United Kingdom (as NEXPOVIO®) and China. Karyopharm has a focused pipeline targeting multiple high unmet need cancer indications, including in endometrial cancer, myelodysplastic syndromes and myelofibrosis. For more information about our people, science and pipeline, please visit www.karyopharm.com, and follow us on Twitter at @Karyopharm and LinkedIn.

# Forward-Looking Statements

This press release contains forward-looking statements within the meaning of The Private Securities Litigation Reform Act of 1995. Such forward-looking statements include those regarding the ability of selinexor or eltanexor to treat patients with multiple myeloma, diffuse large B-cell lymphoma, solid tumors and other diseases; and expectations related to future clinical development and potential regulatory submissions of selinexor or eltanexor. Such statements are subject to numerous important factors, risks and uncertainties, many of which are beyond Karyopharm's control, that may cause actual events or results to differ materially from Karyopharm's current expectations. For example, there can be no guarantee that Karyopharm will successfully commercialize XPOVIO or that any of Karyopharm's drug candidates, including selinexor and eltanexor, will successfully complete necessary clinical development phases or that development of any of Karyopharm's drug candidates will continue. Further, there can be no guarantee that any positive developments in the development or commercialization of Karyopharm's drug candidate portfolio will result in stock price appreciation. Management's expectations and, therefore, any forward-looking statements in this press release could also be affected by risks and uncertainties relating to a number of other factors, including the following: the risk that the COVID-19 pandemic could disrupt Karyopharm's business more severely than it currently anticipates, including by negatively impacting sales of XPOVIO, interrupting or delaying research and development efforts, impacting the ability to procure sufficient supply for the development and commercialization of selinexor or other product candidates, delaying ongoing or planned clinical trials, impeding the execution of business plans, planned regulatory milestones and timelines, or inconveniencing patients; the adoption of XPOVIO in the commercial marketplace, the timing and costs involved in commercializing XPOVIO or any of Karyopharm's drug candidates that receive regulatory approval; the ability to obtain and retain regulatory approval of XPOVIO or any of Karyopharm's drug candidates that receive regulatory approval; Karyopharm's results of clinical trials and preclinical studies, including subsequent analysis of existing data and new data received from ongoing and future studies; the content and timing of decisions made by the U.S. Food and Drug Administration and other regulatory authorities, investigational review boards at clinical trial sites and publication review bodies, including with respect to the need for additional clinical studies; the ability of Karvopharm or its third party collaborators or successors in interest to fully perform their respective obligations under the applicable agreement and the potential future financial implications of such agreement;

Karyopharm's ability to enroll patients in its clinical trials; unplanned cash requirements and expenditures; development or regulatory approval of drug candidates by Karyopharm's competitors for products or product candidates in which Karyopharm is currently commercializing or developing; and Karyopharm's ability to obtain, maintain and enforce patent and other intellectual property protection for any of its products or product candidates. These and other risks are described under the caption "Risk Factors" in Karyopharm's Annual Report on Form 10-K for the year ended December 31, 2021, which was filed with the Securities and Exchange Commission (SEC) on March 1, 2022, and in other filings that Karyopharm may make with the SEC in the future. Any forward-looking statements contained in this press release speak only as of the date hereof, and, except as required by law, Karyopharm expressly disclaims any obligation to update any forward-looking statements, whether as a result of new information, future events or otherwise.

XPOVIO® and NEXPOVIO® are registered trademarks of Karyopharm Therapeutics Inc. Any other trademarks referred to in this release are the property of their respective owners.

SOURCE Karyopharm Therapeutics Inc.

For further information: Contacts: Investors: Elhan Webb, CFA, Senior Vice President, Investor Relations, 617.658.0600 | elhan.webb@karyopharm.com; Media: Sarah Connors, Vice President of Corporate Communications, 617.658.0600 | sarah.connors@karyopharm.com

https://investors.karyopharm.com/2022-04-27-Karyopharm-Announces-Selinexor-Data-to-be-Presented-at-the-2022-American-Society-of-Clinical-Oncology-Annual-Meeting